




Dynamic Builder

In template diagrams, a user was able to define logic for a group of objects based on name, or attribute criteria. Dynamic diagrams take this to the next level, they allow defining interaction between multiple templates, in a dynamic way. What this mean is that a user can set a dynamic criteria for triggering actions and responses mainly by defining multiple quires using multiple scene nodes.

To open the Dynamic Builder click the highlighted Add a new dynamic diagram button at the top right side of Training Builder diagram.



A new Dynamic Diagram will open, and the Dynamic Diagram menu will appear.













Dynamic training builder menu is divided into four groups;

Sources


A source is an expression that will generate a value that can be used to trigger an event in the Dynamic Builder. Sources are divided into two tabs, Main Sources and Template Sources.


Main Sources



Icon	Source Name
	Scene Node
	Scene State
	Expression
	Number
	Boolean
	Hand
	Sequence
	Variable
	String

Template Sources




Icon	Source Name
	Scene Node Query
	User Query













Events

Events are triggered when something happens in the VR experience. They are arranged into two tabs Main Events and Object Interactions


Main Events




Icon	Event Name
	Scene Start
	Node Triggered
	SceneState Applied

	Play Animation Sequence
	Apply Scene State
	Set Parent Node
	Reset Parent Node
	Set Node Grabbable State
	Delay
	Branch on Expression
	Loop
	Show/Hide
	Set Node Glow State
	Enable Controller Vibration
	Disable Controller Vibration


Objects Behavior



Animation Sequences



Numbers




String



Time Variable




Media




Attributes



User



States




The following video shows the behavior in action, if you do not get why this is useful, do not worry about it for now.

In the future when you create more dynamic experiences, you will be glad to have this at your disposal.

https://www.youtube.com/embed/cJ_ib2JSKno

The following diagram shows how loop end is used, it is combined with the fact that in Dynamic builder the show message strings can also be dynamic, so we can show a message depending on the execution of the experience



Revision #21

Created 21 December 2023 13:50:16 by Samia Sabri

Updated 16 January 2024 14:07:01 by Samia Sabri