

Introduction

SimLab Composer allows using Python, and Java Scripts to automate processes, both scripts automation is supported in two modes:

1. Command line (for batch processing for a large number of files). This includes command line without scripting using -ie command, and with scripting using Python, and Java scripts.
2. Interactive mode (from inside the GUI of SimLab Composer)



Scripting is supported in the Ultimate edition of SimLab Composer

Command line without scripting

Open the command line window, by typing "cmd" in Start. Go to the directory where SimLab Composer was installed, the default installation directory is "C:\Program Files\SimLab\SimLab Composer 10" to go there type **cd C:\Program Files\SimLab\SimLab Composer 10**

```
Command Prompt
Microsoft Windows [Version 10.0.22000.978]
(c) Microsoft Corporation. All rights reserved.

C:\Users\simlab>cd C:\Program Files\SimLab\SimLab Composer 10
C:\Program Files\SimLab\SimLab Composer 10>
```

Now to run import/export functions in SimLab Composer, type Sim.. then start clicking the Tab button, until SimLabComposer.exe appears.

A screenshot of a Windows Command Prompt window. The title bar says "Command Prompt". The text inside shows the Windows version "Microsoft Windows [Version 10.0.22000.978]" and copyright "(c) Microsoft Corporation. All rights reserved.". The user has navigated to the directory "C:\Program Files\SimLab\SimLab Composer 10" using the "cd" command. The current prompt is "C:\Program Files\SimLab\SimLab Composer 10>SimLabComposer.exe_" with the cursor at the end of the command.

```
Command Prompt
Microsoft Windows [Version 10.0.22000.978]
(c) Microsoft Corporation. All rights reserved.

C:\Users\simlab>cd C:\Program Files\SimLab\SimLab Composer 10
C:\Program Files\SimLab\SimLab Composer 10>SimLabComposer.exe_
```

Type in the code -ie <import_file> <export_file>

With actual file locations, the below line will convert RubikCube.obj 3D models into RubikCube.skp in the indicated folders. Don't forget " "

```
-ie "C:\Users\simlab\Desktop\Delete\RubikCube.obj"
"C:\Users\simlab\Desktop\Delete\RubikCube.skp"
```

Check this article for more about the command line-based methods, also for commands on Mac.

Command line Python Scripts

Python scripts can be run from the command line using the following command

```
SimLabComposer.exe -py "File.py"
```

So if the user named a script as example.py, and saved it in folder C:\Scripts, The user should use the following command

```
SimLabComposer.exe -py "C:\Scripts\example.py"
```

Passing arguments to Python Scripts


Passing arguments to a script makes it dynamic, and reusable without the need to change its code.

```
scene =Scene()  
runtime =RunTime()  
scene.reset()  
fileName= runtime.args.getAsString("- path")  
scene.importFile(fileName)
```

Interactive Scripting - Running Python script interactively

The user can run Python Scripts interactively in different ways:


1. Select a script from the scripting library, drag it, and drop it on the 3D area




2. Select a script from the library, then from the Script menu, click Run



3.





My first Python script / Python Scripts using GUI input

The following script gets the location to save the rendered image, using a GUI dialog. Renders the current scene, saves the resulting image in the selected location, and finally displays a dialog indicating that rendering is done.

```
from simlabpy import *

scene = Scene()
runtime = RunTime()
render_path = runtime.ui.getSaveFileName("Exported rendered image location:", "",
"*.jpg;*.png")
scene.render(render_path)
runtime.ui.alert("Rendered image was created.")
```

For a list of supported Python scripting commands visit [this page](#)

Check out a blog about [the approaches to automatically do things with SimLab Composer](#).

Approaches to **automatically** do things with SimLab Composer

Python Node-based Schedule
Trigger Scripting
Efficient
Non-GUI-mode -PY
CADVRter JavaScript
-fl Batch Servers
Scripts Faster CMD
Smarter CLI SimLab
Companies Terminal
-js Quick GUI-made



Revision #25

Created 9 September 2022 11:32:38 by Samia Sabri

Updated 27 December 2023 08:17:50 by Samia Sabri