


Training Builder Menu

Training Builder is a **visual** tool that allows VR experience designer to control the logic in the VR experience without the need to write any code.

Training Builder allows the user to links **Event** with **Response(s)**

An **Event** is fired when something happens in the experience, for example when the user clicks on a specific object, or when an object collides with another object. A **Response** is the reaction the VR experience should do when an **Event** takes place.

For example when the user clicks on Globe Object (Earth_geo) Scene Node in the Node Triggered **Event**, it starts the rotation sequence (Play Sequence) **Response**, as shown in the following image;



There is no limit to the number of elements in **Training Builder**. The user can add as many elements as needed in diagrams.

Each Diagram can have up to 300 elements to keep things organized for big projects. For

small projects one diagram should be enough, for larger projects the user needs to organize work by keeping up to 300 elements in each diagram.


[Creating your first VR experience](#) can serve as a good first interaction with the **Training Builder** to see it in action

<https://www.youtube.com/embed/5jt3btClddQ>

The following video provides more details about using **Training Builder**

<https://www.youtube.com/embed/vKlfpe1q-K4>

[SimLab Academy](#) (in the **Library** panel) under VR Creation includes a section dedicated for **Training Builder** tutorials.



Variables and Expressions

Using **Training Builder**, enables users to add variables and use them in creating VR experiences. Check this [tutorial](#) about using variables in Training Builder.

Supported variables are of the following types:

String Variable; Stores object names, message data, ..etc

Number Variable; Supports both integer and float numbers. Can be used for calculating , and storing values

Time Variable; can save the time at any stage of the VR experience

String Variables

Initial value can be set to any string in the variable editor in training builder.
When used in Change Variable response, string should be surrounded in single quotations (' ')

Expression supported operations include adding strings, and substring

Number Variables

Initial Value can be set to any float or integer numbers, the following operations are supported for number variables

Increment: Adds one to the current value

Decrement: Subtracts one from the current value

Time Difference: Calculates the different in seconds (up millisecond precision) between two time variables

Expression: large number of expressions are supported, list of supported expressions can be found in the following [link](#) , The following tutorial shows how expressions can be used in **Training Builder**

<https://www.youtube.com/embed/6hIvMsl5obs>

Time Variables

Initial value for all time variables is set to the start time of the VR experience, at any point of the VR experience the user can capture current time and store it in a time variable

Variable writer

This tool enables the user to track the value of a variable in the VR experience

The value of the variable is updated dynamically, so whenever the variable value changes the variable writer will be updated to show the new value of the variable. **Variable**

Writer is available under the VR Effects Menu.


The user can control its size, and place, so it can be aligned on a wall in the scene or on a monitor, user selects which variable to view, color of the text, and prefix text.

Having multiple **Variable Writers** belonging to the same group make them have the same font size.

Create/Edit Variables

Variables can be created and edited by clicking the **Edit Variables** button at the top right part of the **Training Builder**. It allows the user to view/delete/change initial values of existing variables, or create new variables.









Clicking '+' at the top right corner of the **Edit Variables and Initial Values** dialog will add a new variable. The user can click to change the name of the variable, select its type from the combo box, and set its initial value.



Inputs

Inputs are entities used as triggers for actions in the **Training Builder** diagram. For example if multiple nodes in the diagram use a **Scene Node**, it can be used as input and be connected to multiple blocks. Updating the input once will be reflected to all blocks using this input.




Icons	Inputs Name
	Sequence
	Scene State
	Scene Node (object)
	String
	Variable
	Action
	Boolean
	Hand






Events










Events are triggered when something happens in the VR experience.



The following image shows how to use **Scene Start** Event, which takes place as soon as the VR experience starts, to play Sound Action **Response**.



Icons	Events Name
	Scene Start
	Scene State Applied
	Sequence Ended
	Node Entered Node
	Node Exited Node


		Hand Entered Node
		Hand Exited Node
		Voice Command Recognizer
		Node Triggered
		Node Grab Started
		Node Grab Ended
		Delay
		Grip Pressed
		Hand Entered Hand

	Hand Exited Hand
	Voice Command Test

To learn more about Grip Press event check this tutorial.


Responses

Responses are defined reactions to events. To link a **Response** to an event simply the user needs to connect the Execute channel from **Event** to the execute channel of a **Response**. The user can connect the output Execute channel from a Response to input Execute channel of another response to guarantee order of execution and to link multiple responses to an **Event**.



























In the diagram below shows responses to clicking on an object (Node Triggered)

- 1- Play a Sequence
- 2- Wait for 2 seconds
- 3- Hide an object from the scene




Icons	Responses List
	Apply Scene State
	Change Node Grabbable State
	Play Sequence
	Stop Sequence
	Show/Hide
	Show Message Box

	Teleport to Camera
	Change Node Action
	Sound Action
	Video Action
	Report user-defined measurement
	Active Quiz/Survey
	Change Equipment State
	Change Grabbable Sequence
	Enable/Disable Physics
	Vibrate Controller
	Advanced Change Variable Value
	Branch (Checks value if true follows one path if false follows the other)
	Get Attribute Value
	Set Attribute Value


	Glow Object
	Un-glow Object
	Point To Object
	Remove Point To Object
	Get Position
	Set Position
	Fall to Surface
	Reset Rotation
	Set Parent
	Reset Parent

Booleans






Booleans includes two groups **States**, and **Operations**.



States are similar to events, and the current state can always be gotten from them. For example in the following image, **Objects Overlap** is shown, if the two objects Overlap you get OnTrue execution, as soon as they do not, you get OnFalse execution. The output Boolean value can be checked at any point to see if they are Overlapping on not. OnTrue or OnFalse are only fired when the state changes.



Opinations allow running Boolean operations on Boolean variables. Supported operations include **And**, **Or** and **Not**

Icons	Booleans List
	Compare Variable Value
	Objects Overlap
	Object is Grabbed
	And Operation
	Or Operation




Not Operation


Templates

Training Builder works great for describing multiple step training scenarios. But what if the same behavior is repeated for a class of objects. For example if the user ends grabbing any of the tools in the training, the response should be for it to fall to the ground, this is when templates are used.


To Create a **Template** diagram in Training Builder click **Create Template** button at the top right side of the **Training Builder**.



After clicking **Create Template** , a new **Template diagram** is added. A template diagrams is different from regular **Training Builder** diagram in its orange background marks, and in Template Scene Node block added in it. This block can not be deleted.



Template Scene Node block selects a group of Nodes based on query that can include one or more rows connected with And or Or, as shown in the following image.



Logic connected to Templet Scene Node block will be applied to each Node that satisfies the selection query, for example in the previous image, each object having "box" in its name, and having "wood" in the value of its material attribute will be selected.


The following tutorial shows the power of Template Diagrams in the training builder

<https://www.youtube.com/embed/sG9Uikiv1wI>

Advanced Features

Copy part of a diagram

To repeat same logic for more than one object (in case templates did not do the job), part of the diagram can be copied. This is done by using the Left Mouse button to highlight the part of the diagram to copy, while the section is highlighted click **CTRL + C** to copy it, then **CTRL + V** to Paste. After that the Scene Node Object needs to be changed, and any block that needs update.




Drag/Drop of the scene



To add inputs like a **Scene State** or a **Sequence**, the following process is used

- 1- Click on Sequence from the toolbar
- 2- From Sequence Library select the desired Sequence
- 3- Click attach Sequence

As shown in the following image




If you know the **Sequence** or the **Scene State** you can directly drag it from the Library and drop it on the **Training Builder**




Right Mouse

Clicking Right click in the training builder shows all toolbar elements, organized, so you can add any block without moving the mouse to the tool bar.



You can also click few characters in the filter to find an element quickly, as shown in the following image.



Attributes

Attributes can be used with **Training Builder** in many ways:

- They can be used for creating **Template** diagrams


- They can be checked to determine behavior
- They can be used as local variables saved on each object.

It is a good idea to be familiar with attributes to create advanced VR experiences. To learn more about attributes check the following tutorial

<https://www.youtube.com/embed/h7VMgtIAOxU>

Tools to organize Training Builder experience


Some users are creating large and complex training, and virtual reality (VR) experiences using the training builder. To help manage these complex diagrams the following tools have been provided:



Notes: Use notes to describe the logic, making it simpler for both you and others to understand and update the training builder diagrams in the future.

Groups: You can organize nodes into groups and give them clear names. This makes it easier to find and update the logic of your training builder.

Search: Suppose you've improved an animation sequence and want to replace the old one in the training builder. Use the search tool to find all instances of the old sequence and replace them with the new one."



Dynamic Training Builder

The Dynamic Training Builder is available in **SimLab VR Studio Pro**. You can learn more about Dynamic Training Builder in this document.

Revision #63

Created 18 December 2021 18:38:12 by Samia Sabri

Updated 3 October 2024 07:47:40 by Samia Sabri